

THE ART OF FITTING

www.ahchai-enterprise.com

CONTENT

HANDLE	01 - 04
--------	---------

ACCESSORIES	05 - 09
-------------	---------

SOFA & CABINET LEG	10 - 14
--------------------	---------

STOPPER	15 - 20
---------	---------

BRACKET	21 - 27
---------	---------

L BRACKET	28 - 31
-----------	---------

BED ASSEMBLY	32 - 35
--------------	---------

WASHER	36 - 38
--------	---------

FLAT BAR & PLATE	39 - 43
------------------	---------

OTHERS	44 - 46
--------	---------

HANDLE




HANDLES




H AC84 (32)

Hole : 2.50mm




H AC83 (64)

Hole : 2.50mm




H AC85 (128)

Hole : 2.50mm




H AC66 (128)

Hole : 3.00mm




H AC99 (128)

Hole : 3.00mm



H AC 71 (128)

Hole : 3.00mm




HANDLES




H AC 79 (128)

Hole : 3.00mm




H AC81 (160)

Hole : 3.00mm




H AC95 (128)

Hole : 3.00mm




H AC76 (96)

Hole : 3.00mm




H AC77 (64)

Hole : 3.00mm



H AC 96 (96)

Hole : 3.00mm




HANDLES




H P160 (160)

Hole : 3.00mm




H AC70 (96)

Hole : 3.00mm




H AC58 (96) CAP

Hole : 3.50mm




H AC58 NEW (96) FLAT

Hole : 3.00mm




H AC44 (96)

Hole : 3.00mm



AC 104 HANDLE (128MM)


Hole : 3.00mm



HANDLES




H AC41 (35)




H AC60 (CAP)

Hole : 3.50mm




H AC97 ROUND HANDLE

Hole : 3.00mm




H AC67 (96)

Hole : 3.00mm



H 2299 (48)

Hole : 3.00mm




A modern kitchen with black and white cabinetry. The upper cabinets are black with silver handles. The lower cabinets are white with black drawers and silver handles. A black countertop runs along the wall. On the countertop, there are various kitchen items including a bowl of carrots, a potted plant, a magazine, and some pots and pans hanging from a rack. A red rectangular overlay with the word "ACCESSORIES" in white capital letters is positioned on the left side of the image.

ACCESSORIES

AC 5/8" M6 INSERT NUT (HEAD)

Thickness : 3.00mm



16.00mm




BLK

SLV

AC 5/8" M6 INSERT NUT

Thickness : 3.00mm




15.00mm



BLK

AC 6/8" M6 INSERT NUT (CURVE)

Thickness : 8.50mm




19.50mm



BLK

AC 6/8" M6 INSERT NUT (HEAD)

Thickness : 5.50mm



19.50mm




BLK

SLV

AC 6/8" M6 INSERT NUT

Thickness : 5.50mm




18.00mm



BLK

AC 7/8" M6 INSERT NUT

Thickness : 5.50mm




20.50mm



BLK

AC 7/8" M6 INSERT NUT (HEAD)

Thickness : 4.50mm



23.00mm




BLK

SLV

AC 1" M6 INSERT NUT (HEAD)

Thickness : 5.00mm



26.00mm




BLK

SLV

AC 1" M6 INSERT NUT

Thickness : 5.00mm




24.00mm



BLK

AC 1x1 M6 INSERT NUT (FLAT)

Thickness : 5.50mm



26.00mm



BLK

AC 1x1 M6 INSERT NUT (CURVE)

Thickness : 11.00mm



26.00mm





BLK

AC 2"x3/8" INSERT NUT

Thickness : 5.00mm



50.00mm




BLK

SLV

ACCESSORIES

AC 2"x3/8 ADJ SCREW


Screw : 3/8" x 25



BLK
SLV

AC M6x25 ADJ SCREW


Screw : M6 x 25



BLK
SLV

AC M6x35 ADJ SCREW


Screw : M6 x 35



BLK
SLV

AC M8x25 ADJ SCREW


Screw : M8 x 25



BLK
SLV

AC M3x25 ADJ SCREW

Screw : 3/8" x 25



BLK
SLV

AC 48 PLASTIC DOWEL

M6 X 25MM



AC 52 PLASTIC DOWEL


M8 X 25MM

M8 X 30MM



AC 89


Pin : 5.50mm



BLK
WHT

AC 89 (BIG)


Pin : 6.00mm



BLK
WHT

AC 791 ROLLER


Hole : 7.00mm




BLK
SLV
WHT

AC ROLLER CASTOR 4/8

Screw : 12.00mm




AC 78 OLYMPIC



C/SV
C/BZ

AC 47(12mm) DOOR HOLDER

Pin : 6.00mm




BLK BEI
WHT OAK
B.BR


ACCESSORIES

AC 47(15mm) DOOR HOLDER

Pin : 6.00mm





AC PP6 WOODEN SLAT HOLDER



AC PP7 WOODEN SLAT HOLDER



AC PP7 (NEW) WOODEN SLAT HOLDER



AC PP8 WOODEN SLAT HOLDER

AC 61 SHOE DOOR

Thickness : 15mm





AC DVD RACK

Pin : 3.50mm

AC 64 CD RACK

Pin : 5.50mm





AC 100 BACK SUPPORT

AC 101 BACK SUPPORT (L)

Hole : 3.00mm

Thickness : 8.00mm





AC PL BRACKET(1"x1")

Hole : 4.00mm

AC 75(L) DOOR HOLDER

Hole : 3.00mm

Pin : 5.00mm




ACCESSORIES

AC 12" HD RAIL


Hole : 3.00mm

Pin : 6.00mm



AC 12" PVC RAIL


Pin : 6.00mm



AC 12" PLASTIC SUPPORT


Hole : 4.00mm

Pin : 4.00mm




AC 14" ROUND PLASTIC SPRAY SILVER

Thickness : 10.00mm




AC 62



AC 45 PVC SELF SUPPORT


Pin Small : 5.00mm

Pin Big : 6.00mm



AC 69 GLASS HOLDER

Hole : 4.00mm



AC PIPE WITH PVC COVER

Diameter : 6/8"


Thickness : 0.60mm



AC T-BOLT


Diameter Screw : 18.50mm

Diameter : 13.50mm



AC I-BOLT

Hole : 20.00mm



AC 3 - 4/8" SPANNER

Thickness : 2.00mm

Material : Metal



AC 17MM SPANNER


Thickness : 1.60mm

Material : Metal



AC 72

Pin : 6.00mm



AC MF 69 METAL FLOWER

Thickness : 1.50mm

Material : Metal



AC P88 (60mm)

Thickness : 1.20mm

Material : Metal



AC P88 (90mm)

Thickness : 1.20mm

Material : Metal






SOFA & CABINET LEG


SOFA & CABINET LEG




SL AC 55 (1")
Hole : 5.50mm




SL AC 57 (2")
Hole : 4.00mm




SL AC 68 (3")
Hole : 5.00mm




SL AC 63 (4")
Hole : 5.00mm



SL AC 92 (76)
Hole : 6.00mm



SL AC 65 (50)
Hole : 5.00mm




SOFA & CABINET LEG




SL AC94 SQ (101)

Hole Top : 5.00mm




SL AC 98 (70)

Hole Top : 4.00mm




SL AC 93 (64)

Hole Top : 5.00mm




CL AC 53 (94)

Hole : 4.00mm




CL AC 40 (90)

Hole : 4.00mm



CL AC 90 (85)

Hole : 4.00mm




SOFA & CABINET LEG





CL AC 102 (120)

Hole : 3.50mm




CL AC 103 (120)

Hole : 3.50mm



CL AC 43 (80)


Hole : 4.00mm



CL AC 51 SQUARE NAIL


Hole : 4.50mm

Thickness : 2.50mm




CL AC 80 (SMALL)

Hole : 4.50mm



CL AC 80 (BIG)


Hole : 4.50mm



CL AC 49 (5/8")

Hole : 2.00mm


Thickness : 5.00mm



CL AC 42 (6/8")

Hole : 2.00mm

Thickness : 5.00mm




SOFA & CABINET LEG

CL AC 74

Hole : 4.00mm


Thickness : 5.00mm



CL AC 87

Hole : 4.00mm


Thickness : 6.00mm



CL AC 86

Hole : 4.00mm

Thickness : 6.00mm



CL AC 59

Thickness : 7.50mm




SOFA STAND (SQ)

Hole : M5(Plain) x 4

Thickness : 1.00mm

Material : Metal




SOFA STAND (ROUND)

Hole : M5(Plain) x 4

Thickness : 1.00mm

Material : Metal




2" SOFA STAND (SQ)

Hole : M5(Plain) x 4

Thickness : 1.20mm

Material : Metal




JAPANESE TABLE STAND

Pipe : 7/8"

Hole : M5 x 4

Material : Metal



ROUND BAR (10MM) TABLE LEG



Hole : M5 Plain

Length : 735.00mm(Long)

Length : 430.00mm(Short)

Thickness : 3.00mm

Material : Metal





STOPPER



S P 6/8"

Diameter : 19.50mm
Diameter Inside : 17.50mm
Height : 16.00mm
Thickness : 3.50mm

BLK WHT SLV



S P 7/8"

Diameter : 22.50mm
Diameter Inside : 20.50mm
Height : 16.00mm
Thickness : 3.00mm

BLK WHT SLV



S P 1"

Diameter : 26.00mm
Diameter Inside : 24.00mm
Height : 18.50mm
Thickness : 4.00mm

BLK WHT SLV



S P 1 1/4"

Diameter : 32.00mm
Diameter Inside : 30.00mm
Height : 19.00mm
Thickness : 4.00mm

BLK WHT SLV



S P 1 1/2"

Diameter : 39.00mm
Diameter Inside : 37.00mm
Height : 19.00mm
Thickness : 4.00mm

BLK WHT SLV



S ACT 2" (FLAT)

Diameter : 49.00mm
Diameter Inside : 50.00mm
Height : 19.00mm
Thickness : 4.50mm

BLK



S SPT 2" TOP

Diameter : 52.00mm
Diameter Inside : 49.00mm
Height : 18.50mm
Thickness : 4.00mm

BLK WHT SLV



S ACE 2" KAKI (FLAT)

Diameter : 51.00mm
Diameter Inside : 50.00mm
Height : 19.50mm
Thickness : 5.00mm

BLK WHT SLV



S P 2" TOP (CURVE)

Diameter : 50.00mm
Diameter Inside : 48.50mm
Height : 19.00mm
Thickness : 2.00mm

BLK WHT SLV



S PP 22 (2") (CURVE)

Diameter : 56.00mm
Diameter Inside : 49.50mm
Height : 24.00mm
Thickness : 6.00mm

BLK WHT SLV YLW



S P 2" KAKI

Diameter : 55.50mm
Diameter Inside : 49.00mm
Height : 19.50mm
Thickness : 7.00mm

BLK WHT SLV



S P 3" KAKI

Diameter : 76.50mm
Diameter Inside : 74.00mm
Height : 25.00mm
Thickness : 7.00mm

BLK SLV



S P3" TOP

Diameter : 76.50mm
Diameter Inside : 74.00mm
Height : 21.50mm
Thickness : 5.00mm

BLK WHT SLV



S PC 5

Diameter : 16.00mm
Diameter Inside : 13.00mm
Height : 12.50mm
Thickness : 3.00mm



S PC 1

Diameter : 34.00mm
Diameter Inside : 23.50mm
Height : 23.00mm
Thickness : 8.00mm



S PC 1 1/2"

Diameter : 46.00mm
Diameter Inside : 36.00mm
Height : 27.50mm
Thickness : 5.00mm



S AC 39 (P1 3/8")

Diameter : 36.00mm
Diameter Inside : 34.00mm
Height : 9.50mm
Thickness : 4.00mm



S AC200 (2")

Diameter : 51.50mm
Diameter Inside : 49.00mm
Height : 44.00mm

BLK CS CGL



S AC 120(1 1/4")

Diameter : 32.00mm
Diameter Inside : 31.00mm
Height : 30.00mm



S AC 150(1 1/2")

Diameter : 38.50mm
Diameter Inside : 36.50mm
Height : 32.00mm

BLK CS CGL

BLK CS CGL



S P 6/8"X 6/8"

L : 19.50 x 19.50mm
L Inside : 18.00 x 18.00mm
Height : 15.50mm
Thickness : 4.00mm



S PE 1X1 (SQ)

L : 24.50 x 24.50mm
L Inside : 24.00 x 24.00mm
Height : 18.50mm
Thickness : 4.00mm

BLK WHT SLV

BLK WHT SLV



S P 1 1/4"x 1 1/4"(SQ)

L : 32.00 x 32.00mm
L Inside : 30.00 x 30.00mm
Height : 19.50mm
Thickness : 4.50mm




S P 1 1/2"x 1 1/2"(SQ)

L : 38.00 x 38.00mm
L Inside : 36.00 x 36.00mm
Height : 21.00mm
Thickness : 5.50mm

BLK WHT SLV

BLK WHT SLV



S P 2"x 2"(SQ)

L : 48.50 x 48.50mm
L Inside : 47.50 x 47.50mm
Height : 17.00mm
Thickness : 2.00mm



S SIDE 1X2 (FLAT)

L : 52.00 X 26.00mm
L Inside : 48.50 X 23.50mm
Height : 21.00mm
Thickness : 4.00mm

BLK WHT SLV



S SIDE 6/8" X 1 1/2" (FLAT)

L : 38.00 x 19.00mm
L Inside : 37.00 x 18.00mm
Height : 21.00mm
Thickness : 3.00mm



S SIDE 1X2 L (FLAT)

L : 51.00 X 27.50mm
L Inside : 49.00 X 24.00mm
Height : 17.50mm
Thickness : 2.00mm


BLK WHT SLV

BLK WHT SLV



S P 6/8"x 1 1/2"(CURVE)


L : 37.50 x 19.00mm
L Inside : 37.00 x 17.50mm
Height : 17.00mm
Thickness : 5.00mm



S P 1"x 1 1/2"(CURVE)


L : 39.00 x 26.00mm
L Inside : 37.00 x 24.00mm
Height : 11.50mm
Thickness : 6.00mm

BLK WHT SLV



S P 1x2 NEW (FLAT)

L : 51.00 x 27.00mm
L Inside : 49.00 x 24.00mm
Height : 19.00mm
Thickness : 4.00mm



S P 1x2 CURVE

L : 51.00 x 27.00mm
L Inside : 49.00 x 24.00mm
Height : 22.00mm
Thickness : 6.50mm


BLK WHT SLV

BLK WHT SLV



S PP1X2 (FLAT)

L : 52.00mm
W : 23.00mm
Height : 17.00mm
Thickness : 3.00mm



S AC 29

L : 31.00 x 31.00mm
Height : 24.00mm



S AC 31

Diameter : 19.50mm
Pin : 6.00mm
Thickness : 5.00mm



S PE 6 (CURVE)

Diameter : 15.00mm
Hole : 9.00mm
Height : 11.50mm



S AC O

Diameter : 20.00mm
Diameter Inside : 13.50mm
Hole : 6.50mm



S PC 4

Diameter : 13.00mm
Diameter Inside : 11.00mm
Height : 7.00mm
Thickness : 2.00mm

BLK WHT SLV



S PC 10

Diameter : 14.00mm
Diameter Inside : 12.00mm
Height : 8.50mm
Thickness : 2.00mm



S P004 (4/8")

Diameter : 23.00mm
Diameter Inside : 13.50mm
Height : 26.00mm

BLK CGL



S P005 (5/8")

Diameter : 26.50mm
Diameter Inside : 16.50mm
Height : 28.50mm



S P006 (6/8")

Diameter : 31.50mm
Diameter Inside : 19.50mm
Height : 31.50mm

BLK CGL

BLK CGL



S P100 (1")

Diameter : 43.00mm
Diameter Inside : 25.50mm
Height : 43.00mm



S P102 (1 1/4")

Diameter : 49.00mm
Diameter Inside : 32.50mm
Height : 49.00mm

BLK CGL

BLK CGL



S P204 (2")

Diameter : 87.50mm
Diameter Inside : 51.00mm
Height : 87.00mm



S P201 - D (2")

Diameter : 88.00mm
Diameter Inside : 51.00mm
Height : 80.00mm



S P203 (2")

Diameter : 76.50mm
Diameter Inside : 51.50mm
Height : 35.00mm



S PH302 (444)

Height : 65.00mm
W : 56.00mm
Hole : 13.00mm



S PH302 (665)

Height : 65.00mm

W : 56.00mm

Hole(S) : 16.00mm

Hole(B) : 20.00mm



S PH 306 (114)

L : 106.00mm

Height : 89.00mm

Hole(S) : 13.00mm

Hole(B) : 26.00mm



S PH 306 (115)

L : 106.00mm

Height : 89.00mm

Hole(S) : 17.00mm

Hole(B) : 26.00mm



S PH 303

L : 101.50mm

Height : 79.00mm

Hole(S) : 17.00mm

Hole(B) : 19.00mm




BRACKET

AC 274 U BRACKET

Hole : M8 & M10

Thickness : 2.50mm

Material : Metal




AC 275 U BRACKET

Hole : M8 & M10

Thickness : 2.50mm

Material : Metal




AC 285 U BRACKET

Hole : M10 Plain

Thickness : 2.50mm

Material : Metal




AC 14 (6/8" x 1 1/2")

Hole : M6 Plain

Thickness : 1.50mm

Material : Metal




AC 14 (6/8" x 1 1/2") WM

Hole : M6 Thread x2 & M7 Plain x2

Thickness : 1.50mm

Material : Metal




AC 14 (1 x 2) 5 HOLES

Hole : M9 Plain

Thickness : 1.50mm

Material : Metal




AC KUDA (1 HOLE)

Hole : M8

Thickness : 2.00mm

Material : Metal




AC KUDA (2 HOLES)

Hole : M6 Plain

Thickness : 2.00mm

Material : Metal




AC 21 (6/8" x 1 1/2") A

Hole : 10x16mm & 9x14mm

Thickness : 2.00mm

Material : Metal




AC 21 (6/8" x 1 1/2")

Hole : M8 x 12mm

Thickness : 1.50mm

Material : Metal




AC 21 (1x2) U BRACKET

Hole : 10x16mm x2 & 9x14mm x2

Thickness : 2.00mm

Material : Metal




AC 21 P (1x2)

Hole : M10 Plain x2

Thickness : 2.00mm


Material : Metal



AC 020 BRACKET

Thickness : 1.20mm

Material : Metal




AC 016 U BRACKET (1x2)

Hole : M10x15mm & M9 Plain

Thickness : 1.50mm / 2.00mm

Material : Metal




AC 115 U BRACKET

Hole : M10 Plain

Thickness : 2.50mm

Material : Metal




AC 017 U BRACKET

Hole : M10 Plain

Thickness : 2.00mm

Material : Metal



AC F 1" U BRACKET

Hole : M10 Plain

Thickness : 2.50mm

Material : Metal




AC SOLID U BRACKET

Hole : M6 Plain x2 & M5 Thread x2

Thickness : 2.50mm

Material : Metal




AC 283 U BRACKET

Hole : M10

Thickness : 2.50mm

Material : Metal




AC 244 U BRACKET

Hole : M10 Plain

Thickness : 2.50mm

Material : Metal



AC P U BRACKET (52MM)

Hole : 10 x 12mm

Thickness : 2.50mm

Material : Metal




AC 080 U BRACKET

Hole : M6 & 7.5x13mm

Thickness : 2.00mm

Material : Metal



AC WHEEL BRACKET (1")

Hole : M7 Plain

Thickness : 3.00mm

Material : Metal




AC WHEEL BRACKET (U)

Hole : M7 Plain

Thickness : 2.50mm

Material : Metal




AC 245 U BRACKET

Hole : M10 Plain

Thickness : 2.50mm

Material : Metal




AC 105 (P) U BRACKET

Hole : M10x12mm

Thickness : 2.50mm

Material : Metal




AC G SLOPE U BRACKET

Hole : 9mm Plain

Thickness : 2.50mm


Material : Metal



AC MG 003 U BRACKET

Thickness : 2.50mm


Material : Metal



AC 294 U BRACKET

Thickness : 2.50mm

Material : Metal




AC 288 U BRACKET

Hole : M10 Plain

Thickness : 2.50mm


Material : Metal



AC LADDER BRACKET

Thickness : 3.00mm


Material : Metal



AC LADDER BRACKET (CURVE)

Thickness : 2.00mm


Material : Metal



AC 403 U BRACKET

Thickness : 2.50mm

Material : Metal




AC 406 U BRACKET

Hole : M8 Plain

Thickness : 2.50mm

Material : Metal




AC NITORI SLOT U BRACKET(JAPAN)

Hole : M11 Plain

Thickness : 1.50mm

Material : Metal




AC BIG U BRACKET

Hole : M9 & 26.5mm & 10x15mm x4

Thickness : 2.00mm

Material : Metal




AC A1003 U BRACKET

Hole : M8 Plain

Thickness : 2.00mm

Material : Metal




AC 262 U BRACKET

Hole : M10 Plain x2 & M8 Plain x1

Thickness : 2.50mm

Material : Metal




AC DEJOY 1" U BRACKET

Hole : M8 Plain

Thickness : 2.00mm

Material : Metal




AC BRACKET 2x32x85

Hole : M5 Plain x4 & M6 Thread

Thickness : 2.00mm

Material : Metal




AC S 3 U BRACKET

Hole : M8

Thickness : 1.50mm

Material : Metal





AC S 4 U BRACKET

Hole : M8

Thickness : 1.50mm

Material : Metal




AC 253 U BRACKET (1")

Hole : M8 Plain

Thickness : 3.00mm

Material : Metal




AC 299 U BRACKET

Hole : M8 Plain

Thickness : 3.00mm

Material : Metal



AC (G) U BRACKET 28x55

Thickness : 3.00mm

Material : Metal




AC 287 U BRACKET

Hole : M5 Plain x2

Thickness : 3.00mm

Material : Metal




AC 247 (Z) BRACKET

Hole : M10 Plain

Thickness : 3.00mm

Material : Metal




AC 261 U BRACKET

Hole : M5 Plain x2 & 10x15mm

Thickness : 3.00mm

Material : Metal




BRACKET

AC 258 S BRACKET

Hole : M10 Plain

Thickness : 2.50mm

Material : Metal




AC P HANGING BRACKET

Hole : M8x10mm

Thickness : 2.00mm

Material : Metal



AC UK U CLIP(CURVE)

Hole : 10x15mm

Thickness : 1.50mm

Material : Metal




AC UK U CLIP (FLAT)

Hole : 10x15mm

Thickness : 1.50mm

Material : Metal




AC T83 U BRACKET

Hole : M9.2 & M4(C) x4

Thickness : 3.00mm

Material : Metal




AC T82 U BRACKET

Hole : M6 Threadx1 & M4(C) x4

Thickness : 3.00mm

Material : Metal




AC CENTRE SUPPORT (W) BRACKET

Hole : 8x13mm

Thickness : 2.00mm

Material : Metal




AC S CENTRE SUPPORT

Hole : M5 Thread

Thickness : 2.50mm

Material : Metal




AC CENTRE SUPPORT E (U) BRACKET

Hole : 9x12mm x2

Thickness : 2.00mm

Material : Metal



AC V BRACKET (ZB)

Hole : M5

Thickness : 1.00mm

Material : Metal




AC BUTTERFLY 1MM

Hole : M5(C) x4

Thickness : 1.00mm

Material : Metal




AC F WIRE LOCK

Hole : M4 Plain

Thickness : 2.00mm

Material : Metal






AC HOOK BRACKET (6/8")

Hole : M5 Plain

Thickness : 2.00mm

Material : Metal





AC SOFA BRACKET

Hole : M6 Plain x6

Thickness : 1.50mm/2.00mm


Material : Metal



AC TV CLIP

Thickness : 0.80mm

Material : Metal




AC BRACKET 1.0

Hole : 5x18mm

Thickness : 1.00mm

Material : G. I.



AC U BRACKET 3x25x52

Hole : M10 x2

Thickness : 3.00mm

Material : Metal



L BRACKET




L BRACKET

AC (G) L BRACKET 16x25x25

Thickness : 1.50mm


Material : Metal



AC L BRACKET 1.5x25x25x25

Thickness : 1.50mm

Material : Metal




AC L BRACKET 1.5x25x25x25

Hole : M5 Plain

Thickness : 1.50mm

Material : Metal




AC 405 L BRACKET

Hole : 10x15mm

Thickness : 2.00mm

Material : Metal




AC 305 L BRACKET

Hole : Oblong 8x12mm

Thickness : 2.00mm

Material : Metal




AC 277 L BRACKET

Hole : 10x15mm

Thickness : 2.00mm

Material : Metal




AC 306 L BRACKET

Hole : M8 x12

Thickness : 2.00mm

Material : Metal




AC P L BRACKET (4HOLES)

Hole : 7mm Plain & 10x12mm

Thickness : 2.50mm

Material : Metal




AC L-03 L BRACKET

Hole : M4 Thread x2 M5 Plainx1

Thickness : 2.50mm

Material : Metal




AC P L BRACKET (M5)

Hole : M5 Plain x4

Thickness : 2.50mm

Material : Metal




AC I L BRACKET

Hole : 7x13mm

Thickness : 1.50mm

Material : Metal




AC 252 L BRACKET

Hole : M8 Plain x2 & M26

Thickness : 3.00mm

Material : Metal




L BRACKET

AC 166 L BRACKET

Hole : M8 Plain

Thickness : 3.00mm

Material : Metal





AC 169 L BRACKET

Hole : M10

Thickness : 2.00mm

Material : Metal




AC T 84 L BRACKET

Hole : M9.5 & M4(C) x2

Thickness : 3.00mm

Material : Metal




AC 077 L BRACKET

Hole : M5 Plain

Thickness : 3.00mm

Material : Metal




AC 189 L BRACKET

Hole : M10 Plain

Thickness : 2.50mm

Material : Metal




AC L BRACKET (M6 THREAD)

Hole : M6 Thread

Thickness : 3.00mm

Material : Metal




AC L BRACKET (M8 THREAD)

Hole : M8 Thread

Thickness : 3.00mm


Material : Metal



AC 308 L BRACKET

Thickness : 2.50mm

Material : Metal




AC 202 L BRACKET

Hole : M10 Plain

Thickness : 3.00mm

Material : Metal




AC RF M6 HOOK BRACKET

Hole : 10x15mm & M6 Thread

Thickness : 3.00mm

Material : Metal




AC 130 L BRACKET (1"x 2")

Hole : 10x15mm

Thickness : 2.50mm

Material : Metal




AC L BRACKET (6/8"x6/8")

Hole : M5 (C) x4

Thickness : 1.00mm

Material : Metal




AC MIRROR L BRACKET

Hole : M8.5 Plain

Thickness : 3.00mm

Material : Metal




L BRACKET

AC L BRACKET (G) 3x12x35x19mm

Hole : M5 Plain

Thickness : 3.00mm

Material : Metal




AC L BRACKET T - 86(110°)

Hole : 9.5MM & M5(C)

Thickness : 3.00mm

Material : Metal




AC L BRACKET (W) 4x15x32x35 - (115°)

Hole : M8 Plain & M5 (C) x2

Thickness : 4.00mm

Material : Metal




AC L BRACKET (W) 3x15x40x40

Hole : M5 Plain

Thickness : 3.00mm

Material : Metal




AC ZETA L BRACKET (A)

Hole : 9.2mm & M5(C) x2

Thickness : 3.00mm

Material : Metal




AC ZETA L BRACKET (B)

Hole : 9.5MM & M5 (C) x2

Thickness : 3.00mm

Material : Metal




AC L BRACKET (90°)

Hole : M5 Plain

Thickness : 3.00mm

Material : Metal




AC 246 L BRACKET

Hole : M10 Plain

Thickness : 3.00mm

Material : Metal




AC T 80 - (95°)

Hole : M5 (C) x4

Thickness : 3.00mm

Material : Metal




AC 276 L BRACKET

Hole : M5 Plain x4

Thickness : 3.00mm

Material : Metal




AC 415 L BRACKET

Hole : M10 Plain x5

Thickness : 3.00mm

Material : Metal




AC 264 L BRACKET

Hole : M5 x6

Thickness : 2.00mm

Material : Metal






BED ASSEMBLY


AC 701 (6 HOLES) A

Hole : M8 Thread x 2 & M5.5(C) x4
Thickness : 2.00mm
Material : Metal




AC 701 (6 HOLES) B

Hole : M6 Thread x 2 & M5.5(C) x4
Thickness : 2.00mm
Material : Metal




AC 401 (R)

Hole : M5(C) x4
Thickness : 2.00mm
Material : Metal





AC 401 (L)

Hole : M5(C) x4
Thickness : 2.00mm
Material : Metal




AC 501 (R)

Hole : M4(C) x5
Thickness : 2.00mm
Material : Metal





AC 501 (L)

Hole : M4(C) x5
Thickness : 2.00mm
Material : Metal




AC 701 (R)

Hole : M5.5(C) x5 & M5 x2
Thickness : 2.00mm
Material : Metal





AC 701 (L)

Hole : M5.5(C) x 5 & M5 x2
Thickness : 2.00mm
Material : Metal




AC 501 (MONOCO) (R)

Hole : M5(C) x5 Nut : M8 Nut
Thickness : 2.00mm
Material : Metal




AC 501 (MONOCO) (L)

Hole : M5(C) x5 Nut : M8 Nut
Thickness : 2.00mm
Material : Metal




AC 25 (6/8" x 1 1/2") 1 HOLE

Hole : M8 Thread
Thickness : 1.20mm
Material : Metal



AC 25 (6/8" x 1 1/2") 2 HOLES


Hole : M6 Thread & M8 Plain
Thickness : 1.20mm
Material : Metal



AC KYC (G) 1"x 2"

Thickness : 1.20mm


Material : Metal



AC KYC (P) TAPER 1 1/4"

Thickness : 1.20mm


Material : Metal



AC KYC (I) 1 1/2"

Thickness : 1.20mm


Material : Metal



AC KYC (P) 70MM

Thickness : 1.20mm


Material : Metal



AC 22 (6/8" x 1 1/2")

Thickness : 1.20mm

Material : Metal



AC 22 (1"x 2")

Thickness : 1.50mm

Material : Metal




AC 22 (1"x 2") L

Hole : M6 Thread

Thickness : 1.50mm

Material : Metal



AC 22 (1"x 2") R

Hole : M6 Thread

Thickness : 1.50mm

Material : Metal




AC 25 (1"x 2")

Hole : 8 x 12mm

Thickness : 1.50mm

Material : Metal




AC KYB (1"x 2")

Hole : M6 Thread

Thickness : 1.20mm

Material : Metal




AC KYB JAPAN

Hole : 9mm & 11.5x17mm

Thickness : 1.20mm

Material : Metal




AC KYB (1"x 2") OBLONG

Hole : 10x27mm

Thickness : 1.20mm

Material : Metal




AC KYB (1"x 2") FLAT

Hole : 10x28mm & 9x14mm

Thickness : 1.20mm

Material : Metal




AC KYB (1"x 2") WOOD

Hole : 10x28mm & 8x11mm

Thickness : 1.20mm

Material : Metal




AC P KYB CURVE (1"x 2")

Hole : 13x27mm

Thickness : 1.20mm

Material : Metal




AC 19 (6/8" x 1 1/2")

Hole : M8

Thickness : 2.00mm

Material : Metal




AC 19 (1"x 2")

Hole : M8 Plain

Thickness : 2.00mm

Material : Metal




AC 20 (6/8" x 1 1/2")

Hole : M8 Plain

Thickness : 2.00mm

Material : Metal




AC 20 (1"x 2")

Hole : M8 Plain

Thickness : 2.00mm

Material : Metal



AC 34 CAKUK

Hole : M8 Plain

Thickness : 2.50mm

Material : Metal





AC 37 (E) CAWAN

H : 43.50mm

Thickness : 1.20mm

Material : Metal




AC 34 CAWAN

H : 38.50mm

Thickness : 2.00mm

Material : Metal



WASHER




WASHER

AC 38 (1.5mm) WASHER

Hole : M5 Plain

Thickness : 1.50mm

Material : Metal




AC 38 (2mm) WASHER

Hole : M5 Plain

Thickness : 2.00mm

Material : Metal




AC 36 WASHER

Hole : M5 Plain

Thickness : 1.50mm

Material : Metal




AC (E) 36 WASHER

Hole : M5 Plain

Thickness : 1.50mm

Material : Metal



AC 36 KUKU WASHER

Hole : M5 Plain

Thickness : 1.50mm

Material : Metal




AC 227 WASHER

Hole : M10

Thickness : 2.50mm

Material : Metal



AC 24 WASHER (S)

Hole : M5 Plain

Thickness : 2.00mm

Material : Metal




AC 24 WASHER

Hole : M5 Plain

Thickness : 2.50mm

Material : Metal




AC G(1x2) CURVE WASHER

Hole : M6 Thread

Thickness : 1.20mm

Material : Metal




AC 1x2 M8 CURVE WASHER

Hole : M8 Thread

Thickness : 1.20mm

Material : Metal




AC F M6 WASHER (6/8"x 1 1/2")

Hole : M6 Thread

Thickness : 1.50mm

Material : Metal




AC 1 1/4" (SQ) M8 WASHER

Hole : M8 Thread

Thickness : 1.50mm

Material : Metal




WASHER

AC 1" M8 WASHER

Hole : M8 Thread

Thickness : 1.50mm

Material : Metal




AC 1" M6 WASHER (SQ)

Hole : M6 Thread

Thickness : 1.50mm

Material : Metal




AC (44.5) 1 1/2"x 1 1/2" M6 WASHER

Hole : M6 Thread

Thickness : 2.00mm

Material : Metal




AC 2"x 2" CURVE WASHER

Hole : M8 Thread

Thickness : 2.00mm

Material : Metal




AC (44.5) 1 1/2"x 1 1/2" M6 WASHER (HOLE)

Hole : M6 Thread & M10 Plain

Thickness : 2.00mm

Material : Metal




AC 2"x 2" CURVE WASHER (HOLE)

Hole : M8 Thread & M10 Plain

Thickness : 2.00mm

Material : Metal



AC LL 05 2 (6/8") CURVE WASHER

Thickness : 1.00mm

Material : Metal



AC CS M12 THREAD WASHER (1")

Thickness : 1.50mm

Material : Metal




AC STUD RING CAP WASHER

Hole : M6.5 Plain

Thickness : 2.00mm

Material : Metal




AC 4 WASHER

Hole : M5 & M6 Thread

Thickness : 1.50mm

Material : Metal



AC CAP WASHER (1 1/4")

Hole : M6 Plain

Thickness : 1.50mm

Material : Metal



AC 1" M6 (ROUND) WASHER

Hole : M6 Thread

Thickness : 1.50mm

Material : Metal



AC 72mm (M8) WASHER

Hole : M8 Thread

Thickness : 2.00mm

Material : Metal



A modern living room interior featuring a large, dark grey sectional sofa with several pillows, including two bright orange ones. In front of the sofa is a low, black metal coffee table with a glass top. On the table are a glass bowl of fruit and a tall, clear glass vase. The background wall is dark and textured, with a large, abstract painting in warm tones (brown, orange, and gold) hanging on it. A thin, horizontal metal bar is mounted on the wall, and a thin, vertical metal rod hangs from the ceiling. The ceiling is dark wood with recessed lighting.

FLAT BAR & PLATE


FLAT BAR & PLATE

AC FB 5x25x50mm

Hole : M10 Plain

Thickness : 5.00mm

Material : Metal




AC 091 FLAT BAR

Hole : M8x14mm

Thickness : 2.50mm

Material : Metal




AC P 5x18x36.5mm

Hole : M10 Plain

Thickness : 5.00mm

Material : Metal




AC 189 FLAT BAR

Hole : M10

Thickness : 2.50mm

Material : Metal



AC FB 3x25x84mm

Hole : 10x15mm

Thickness : 3.00mm

Material : Metal




AC FB 3x19x50mm

Hole : M8

Thickness : 3.00mm

Material : Metal




AC FB (W) 3X25X62mm

Hole : M8 Plain

Thickness : 3.00mm

Material : Metal




AC 268 FLAT BAR

Hole : 8 x 14mm

Thickness : 2.50mm

Material : Metal




AC FB 3x25x114mm

Hole : 8x12mm

Thickness : 3.00mm

Material : Metal




AC FB 2.5x38x95mm

Hole : 10x15mm

Thickness : 2.50mm

Material : Metal




AC 200 FLAT BAR

Hole : M10x15mm

Thickness : 3.00mm

Material : Metal




ACM 200 FLAT BAR

Hole : M10 & 10 x 15mm

Thickness : 3.00mm

Material : Metal




FLAT BAR & PLATE

AC 4" FLAT BAR

Hole : M8 Plain

Thickness : 3.00mm

Material : Metal




AC 286 FLAT BAR

Hole : M10 Plain

Thickness : 3.00mm

Material : Metal




AC 402 FLAT BAR

Hole : M10

Thickness : 2.50mm

Material : Metal




AC 183 FLAT BAR

Hole : M8 Plain & 10x15mm

Thickness : 3.00mm

Material : Metal




AC 133 FLAT BAR

Hole : M10 Plain x2

Thickness : 3.00mm

Material : Metal




AC FB 4x18x55mm

Hole : M6 Plain & M8 Plain

Thickness : 4.00mm

Material : Metal



AC FB 3x15x147mm(2HOLES)

Hole : M6 Plain

Thickness : 3.00mm

Material : Metal




AC FB 3x18x127mm

Hole : M5 Plain & 8x12mm

Thickness : 3.00mm

Material : Metal




AC 4.5x25x105mm (3HOLES)

Hole : M10 Plain & 10x12mm

Thickness : 4.50mm

Material : Metal




AC 3x18x160mm

Hole : M6 Plain x2 8x14mm

Thickness : 3.00mm

Material : Metal




AC 290 FLAT BAR

Hole : M10 Plain

Thickness : 3.00mm

Material : Metal




AC FB 2.5x19x120mm

Hole : M6 Plain & M10 Plain

Thickness : 2.50mm


Material : Metal



FLAT BAR & PLATE


AC CURVE FLAT BAR(200)

Hole : M8 Plain & M10 Plain
Thickness : 4.00mm
Material : Metal




AC 280 FLAT BAR

Hole : M10
Thickness : 3.00mm
Material : Metal




AC WM HANGING FLAT BAR

Hole : 7x37.5mm Hook : 6.5mm
Thickness : 3.00mm
Material : Metal



AC HANGING BRACKET

Hole : 7x35.00mm Hook : 6.4mm
Thickness : 3.00mm
Material : Metal




AC P HOOK BRACKET

Hole : M7, 7x12mm
Thickness : 5.00mm
Material : Metal



AC T CURVE PLATE (1")

Hole : M8 Plain
Thickness : 2.50mm
Material : Metal




AC T CURVE PLATE (54mm)

Hole : M8 Plain
Thickness : 2.50mm
Material : Metal




AC P 110 CURVE FB

Hole : M8 & M12
Thickness : 2.50mm
Material : Metal




AC T Curve FLAT BAR (7/8")

Hole : 9x32mm & M8x10mm
Thickness : 1.50mm
Material : Metal




AC 242 FLAT BAR

Hole : 10x18mm & M12 Plain
Thickness : 4.00mm
Material : Metal




AC PLATE 2x70x85mm

Hole : M10 Plain
Thickness : 2.00mm
Material : Metal



AC ROUND PLATE (2HOLES)

Hole : M10 Plain
Thickness : 2.00mm
Material : Metal




FLAT BAR & PLATE

AC METAL PLATE 120x230mm

Hole : M10 Plain

Thickness : 1.00mm

Material : Metal




AC METAL BRACKET 40x80mm

Hole : M4(C) x6

Thickness : 2.00mm

Material : Metal



AC BRACKET 3x38x45mm

Hole : M9 Plain

Thickness : 3.00mm

Material : Metal




AC METAL PLATE 51x57mm(G)

Hole : M8 Plain

Thickness : 2.50mm

Material : Metal




AC 216 METAL PLATE

Hole : 8 x15mm

Thickness : 2.50mm

Material : Metal




AC 164 FLAT BAR

Hole : 10x15mm

Thickness : 3.00mm

Material : Metal




AC I HALF MOON (ABC)

Hole : M5 Plain

Thickness : 1.50mm

Material : Metal



AC I HALF MOON (A)

Hole : M7x10

Thickness : 2.00mm

Material : Metal




AC METAL PLATE 38x50mm

Hole : M6 Plain

Thickness : 2.50mm

Material : Metal




AC MG 38x55mm PLATE

Hole : M6 Plain

Thickness : 2.00mm

Material : Metal




AC METAL PLATE (R)

Hole : M5 Plain

Thickness : 1.50mm

Material : Metal




AC METAL PLATE (SQ)

Hole : M5 Plain x4

Thickness : 1.20mm

Material : Metal




AC PLUG METAL PLATE

Hole : 74x20mm & (M5x7) x2

Thickness : 1.00mm

Material : Metal





OTHERS



AQUARIUM STAND

Size : 2ft / 2.5ft

Height : 34"

Material : Metal



AQUARIUM STAND

Size : 3ft / 4ft

Height : 1060mm

Material : Metal



COFFEE TABLE

Height : 16 1/2"

Length : 19 1/2"

Width : 15 2/8"

Material : Metal



PUB TABLE

Height : 1070mm

Length : 22"

Width : 22"

Material : Metal



GAS RACK 50

Height (R) : 29" Height (L) : 25"

Length : 1162mm

Width : 397mm

Material : Metal



GAS RACK 51

Height : 734mm

Length : 1162mm

Width : 397mm

Material : Metal



GAS RACK 52

Height : 29"

Length : 790mm

Width : 396mm

Material : Metal



GAS RACK 53

Height : 29"

Length : 31 5/8"

Width : 400mm

Material : Metal



CLOTHES HANGER

Height : 66 5.5/8" Length : 50"

Width(Top) : 34"

Width(Bottom) : 26"

Material : Metal



DISH RACK

Size : 22 1/2" / 23 1/8"

Width : 212mm

Material : Metal



TABLE LEG

Material : Metal

**WE ARE
FITTING
SPECIALIST**



AH CHAI ENTERPRISE SDN. BHD. (580761-W)
KC LOW ENTERPRISE (8A0006298-K)

Lot 17334, Lorong Asas Jaya 3, Kawasan Perindustrian Ringan Asas Jaya, 14000, Bukit Mertajam, Penang.

T: +604 588 5998 / 588 8996

F: +604 588 5997

E: info@ahchai-enterprise.com